



VETERAN
OWNED BUSINESS

US Assembled and US Quality Controlled
with US and North American Components!



T.(214)-838-1220



www.mbwalkintubs.com



info@mbwalkintubs.com

West Coast Facility

**1309 Ave H
Grand Prairie, TX 75050**

TABLE OF CONTENTS



TITLE	PAGE
Walk-In Tub Options	3
Elite Series Walk-in Tubs	8
Elite Series Acrylic Walk-in Tubs	26
.....	
.....	
.....	



WALK-IN TUB OPTIONS

AIR MASSAGE

This system features 18 individual air jets placed around the tub. These jets send air bubbles that cling to the skin to promote circulation. An added benefit with air jets is that bath salts and oils can be used.



SYSTEM INCLUDES

- ⇒ 18 warm air jets 110V-120V
- ⇒ Standard Plug-In, 1hp Air Pump
- ⇒ Pneumatic push control in chrome

HYDRO MASSAGE

6 to 10 chrome water jets provide a more vigorous, focused massage as water sprays out of the jets which are strategically placed throughout your tub to hit specific areas such as your neck, shoulders, back, arms, hips, legs and feet.

SYSTEM INCLUDES

- ⇒ 6 to 10 chrome power water jets 110V-120V
- ⇒ Standard Plug-In, 1hp Air Pump
- ⇒ Pneumatic push control or in chrome
- ⇒ Pressure Control Valve changes the water intensity



CHROMATHERAPY

It is used to balance each person's physical, spiritual, mental and emotional energy. With our LED lighting designs you can create an ideal relaxed environment.



SYSTEM INCLUDES

- ⇒ 9-LED lights strategically placed in tub
- ⇒ Combination of 7 colors
- ⇒ Choices of 21 blended colors to help you release stress

AROMATHERAPY

Used to improve physical, mental and emotional well-being of our central nervous system. Just a little drop combined with warm water will rejuvenate your body and mind.



ELEKTRONIC CONSOLE UNIT WITH TOUCH KEYPAD CONTROLS

- ⇒ Hydro
- ⇒ Air massage
- ⇒ Ozone
- ⇒ Chromatherapy
- ⇒ FM Radio
- ⇒ LED screen shows water temperatures
- ⇒ Memory for presets



IN-LINE HEATER

Designed for the pressure side of the bathtub pump and has a built in internal pressure switch to control heater operation. Important: bathtub heaters will only maintain the water temperature that is put into the tub. They will not increase the water temperature.

SYSTEM INCLUDES:

- ⇒ 104° preset thermostat
- ⇒ Intelligent High Limit Switch
- ⇒ Heater "On" Light





OZONE THERAPY

OZONE SANITIZER

Created from the oxygen we breath, Ozone gas is a powerful sanitizer that is known to kill disease-causing microorganisms. This Ozone gas then flows through the air system piping and out through the air jets disinfecting the system after you bath.



HEATED SEAT & BACKREST

Lets you sit cozy while you wait for the water to drain or fill.



BLUE TOOTH HAND-HELD SHOWER KIT

Lets you play your favorite song as you indulge in comfort.



MICROBUBBLE THERAPY

The all-natural, breakthrough hydrotherapy that will exfoliate, hydrate and moisturize your skin, gently and quietly, while you relax in continuously warming water.

Nothing but 100% natural ingredients at work. No soaps, chemicals, additives, detergents or microplastics. Additionally, having a single water input - plus the natural antimicrobial properties of the microbubbles - means avoiding issues of jetted tubs.



MICROBUBBLE JET

- ⇒ Gentle Massage Bath
- ⇒ Uses negative ions to clean and oxygenate your skin
- ⇒ Oxygen boost
- ⇒ Gentle deep clean pores
- ⇒ Remove oil from your skin
- ⇒ Wrap the dirt
- ⇒ Follicle activation
- ⇒ Improve elasticity of the skin
- ⇒ Water stays warm
- ⇒ Save 40% water

GENERAL BUBBLES

MICROBUBBLE



PERSONAL HYGIENE THERAPY:

Mobility Bathworks personal hygiene system features a bidet built into the seat, allowing you to cleanse intimate body parts fully and safely without sacrificing sanitation.

Comes with separate control to turn it ON and OFF.



512-522-2284

www.mbtubs.com

6

NEW VIBRO-SONIC HYDRO SYSTEM

ENJOY YOUR BENEFITS
OF A WHIRPOOL
MASSAGE INTO YOUR
VIBRO-SONIC JET WITH
OUR NEVER BEFORE
SEEN VIBRO-SONIC
WHIRLJET.



PULSATING MASSAGE

Let you feel an array of pulsation and vibration on your back with or without water.



Pulsation

The Vibro-Sonic System offers various levels of power, depending on your body and muscle density.



Vibration

The Vibro-Sonic System offers various levels of vibration allowing the massage to deeply penetrate within your muscles.



Aqua-Pressure

Let the energy flow through your aches and pains and relieve the tension by an effective Aqua-pressure massage.



Sequences

The Vibro-Sonic System offers different and unique Shiatsu massage sequences that will offer a variety of massage types where you need it most.

HYDRO VIBRO SONIC WALK IN TUB SETUP OPTIONS

Foot Massage

Imagine a personal foot masseuse with a touch of a button.




Upper & Lower Back

Lets you feel an array of pulsation and vibration on your back as if your sitting in your very own massage chair.

Calves Area

Great way to relief tight calf muscles .

ELITE SERIES WALK-IN TUBS

NAME	WIDTH	LENGTH	HEIGHT	WATER CAPACITY OCCUPIED (gal)	PAGE
Elite 2640 Walk-in Tub	26"	40"	38"	44	9
Elite 2646 Walk-in Tub	26"	46"	38"	48	10
Elite 2653 Walk-in Tub	26"	53"	36"	52	11
Elite 2848 Walk-in Tub	28"	48"	40"	52	12
 Elite 3052 Low Threshold Walk-in Tub	30"	52"	40"	53	13
Elite 3053 Walk-in Tub	30"	53"	38"	55	14
Elite 2852 Walk-in Tub	28"	52"	41"	55	15
Elite 3060 Walk-in Tub	30"	60"	38"	46	16
Elite 3355 Walk-in Tub	33"	55"	41"	67	17
Elite 3555 Walk-in Tub	35"	55"	41"	72	18
Elite Hi Boy Walk-in Tub	30"	55"	46"	95	19
Elite 3338 Walk-in Tub	33"	38"	40"	42	20
Elite 2852 Transfer Tub	28"	52"	41"	55	21
Elite 3052 Transfer Tub	30"	52"	41"	58	22
Elite 3252 Transfer Tub	32"	52"	41"	60	23
Elite 3260 Transfer Tub	32"	60"	33"	50	24
Elite Lay Down	30"	60"	23"	30	25
Elite 2852 Acrylic Walk-in Tub	28"	52"	38"	33	26
Elite 3052 Acrylic Walk-in Tub	30"	52"	38"	45	27
Elite 3060 Companion Acrylic Walk-in Tub	30"	60"	38"	43	28

WALK-IN TUB

The Mobility Bathworks Tub 2640 from our ELITE Series provides a luxury spa experience from the comfort of your own home.

Boasting a 38" high tub basin, the 2640 allows for deeper upper body water immersion while maintaining a compact footprint for almost any bathtub or shower space. Its overall size and 20.5" seat make the 2640 the perfect size for narrow, 60" bathrooms while being large enough to accommodate individuals between 120-250 lbs.





STANDARD FEATURES

- ⇒ Marine-Grade Fiberglass & Resin Composite Tub Shell
- ⇒ High-Gloss, Triple-Coated Gelcoat Finish
- ⇒ One-Piece, Stainless-Steel Support Frame
- ⇒ 6 Adjustable Leveling Legs
- ⇒ Low, 6.8" Door Threshold
- ⇒ Ergonomic, Curved Door Handle
- ⇒ Water-Tight Door Seal
- ⇒ 14.5" High, ADA-Compliant, Contoured Seat
- ⇒ Interior Safety Grab Bar
- ⇒ Deck-Mounted, U-Shaped Grab Bar
- ⇒ Non-Slip, Textured Floor
- ⇒ Integrated Door Drain
- ⇒ Front Access Maintenance Panels
- ⇒ Color-Matched Extension Kit to Fill to 60"
- ⇒ Flangeless Design

2640

TUB 2640 SPECIFICATIONS



Tub Dimensions 26"W x 40"L x 38"H

Tub Weight 180 lbs

Crated Dimensions 27"W x 42"L x 48"H



Seat Dimensions 14.5"H x 20.5"W

Water Capacity Occupied 44 Gallons

Door Width 18"

Door / Drain Orientation Left-Hand or Right Hand

Door Swing Outward-Swinging

Colors Available White  Biscuit 

HYDROMASSAGE SYSTEM ADD-ONS & UPGRADES

- ⇒ Leg Massage Only System
- ⇒ Adjustable Bidet Jet
- ⇒ Ozone Sanitization System
- ⇒ Water-Heating Syllent Pump
- ⇒ Friction Heater
- ⇒ Inline Heater
- ⇒ Additional Hip or Knee Jets
- ⇒ Aromatherapy System

The Mobility Bathworks Tub 2646 from our ELITE Series provides a luxury spa experience from the comfort of your own home.

Boasting a 38" high tub basin, the 2646 allows for deeper upper body water immersion while maintaining a compact footprint for almost any bathtub or shower space. Its overall size and 20.25" seat make the 2646 the perfect size for narrow, 60" bathrooms while being large enough to accommodate individuals between 120-250 lbs.




STANDARD FEATURES

- ⇒ Marine-Grade Fiberglass & Resin Composite Tub Shell
- ⇒ High-Gloss, Triple-Coated Gelcoat Finish
- ⇒ One-Piece, Stainless-Steel Support Frame
- ⇒ 6 Adjustable Leveling Legs
- ⇒ Low, 6.8" Door Threshold
- ⇒ Ergonomic, Curved Door Handle
- ⇒ Water-Tight Door Seal
- ⇒ 17" High, ADA-Compliant, Contoured Seat
- ⇒ Interior Safety Grab Bar
- ⇒ Deck-Mounted, U-Shaped Grab Bar
- ⇒ Non-Slip, Textured Floor
- ⇒ Integrated Door Drain
- ⇒ Front Access Maintenance Panels
- ⇒ Color-Matched Extension Kit to Fill to 60"
- ⇒ Flangeless Design


2
6
4
6

TUB 2646 SPECIFICATIONS

SIDE VIEW



TOP VIEW



Tub Dimensions 26"W x 46"L x 38"H

Tub Weight 190 lbs

Crated Dimensions 28"W x 47"L x 50"H



Seat Dimensions 17"H x 20.25"W

Water Capacity Occupied 48 Gallons

Door Width 17.5"

Door / Drain Orientation Left-Hand or Right Hand

Door Swing Inward-Swinging

Colors Available White  Biscuit 

HYDROMASSAGE SYSTEM ADD-ONS & UPGRADES

- ⇒ Leg Massage Only System
- ⇒ Adjustable Bidet Jet
- ⇒ Ozone Sanitization System
- ⇒ Water-Heating Syllent Pump
- ⇒ Friction Heater
- ⇒ Inline Heater
- ⇒ Additional Hip or Knee Jets
- ⇒ Aromatherapy System

W
A
L
K

I
N

T
U
B

The Mobility Bathworks Tub 2653 from our ELITE Series provides a luxury spa experience from the comfort of your own home.

Boasting a 36" high tub basin, the 2653 allows for deeper upper body water immersion while maintaining a compact footprint for almost any bathtub or shower space. Its overall size and 20.5" seat make the 2653 the perfect size for narrow, 60" bathrooms while being large enough to accommodate individuals between 120-250 lbs.




STANDARD FEATURES

- | | |
|---|--|
| ⇒ Marine-Grade Fiberglass & Resin Composite Tub Shell | ⇒ 17" High, ADA-Compliant, Contoured Seat |
| ⇒ High-Gloss, Triple-Coated Gelcoat Finish | ⇒ Interior Safety Grab Bar |
| ⇒ One-Piece, Stainless-Steel Support Frame | ⇒ Deck-Mounted, U-Shaped Grab Bar |
| ⇒ 6 Adjustable Leveling Legs | ⇒ Non-Slip, Textured Floor |
| ⇒ Low, 6.8" Door Threshold | ⇒ Integrated Door Drain |
| ⇒ Ergonomic, Curved Door Handle | ⇒ Front Access Maintenance Panels |
| ⇒ Water-Tight Door Seal | ⇒ Color-Matched Extension Kit to Fill to 60" |
| | ⇒ Flangeless Design |


2
6
5
3

TUB 2653 SPECIFICATIONS

SIDE VIEW



TOP VIEW



Tub Dimensions 26"W x 53"L x 36"H

Tub Weight 200 lbs

Crated Dimensions 27"W x 54"L x 46"H



Seat Dimensions 17"H x 20.5"W

Water Capacity Occupied 52 Gallons

Door Width 16"

Door / Drain Orientation Left-Hand or Right Hand

Door Swing Inward-Swinging

Colors Available White  Biscuit 

HYDROMASSAGE SYSTEM ADD-ONS & UPGRADES

- | | |
|------------------------------|-------------------------------|
| ⇒ Leg Massage Only System | ⇒ Inline Heater |
| ⇒ Adjustable Bidet Jet | ⇒ Additional Hip or Knee Jets |
| ⇒ Ozone Sanitization System | ⇒ Aromatherapy System |
| ⇒ Water-Heating Syllent Pump | |
| ⇒ Friction Heater | |

W
A
L
K

I
N

T
U
B

The Mobility Bathworks Tub 2848 from our ELITE Series provides a luxury spa experience from the comfort of your own home.

Boasting a 40" high tub basin, the 2848 allows for deeper upper body water immersion while maintaining a compact footprint for almost any bathtub or shower space. Its overall size and 22" seat make the 2848 the perfect size for narrow, 60" bathrooms while being large enough to accommodate individuals between 120-250 lbs.




STANDARD FEATURES

- | | |
|---|--|
| ⇒ Marine-Grade Fiberglass & Resin Composite Tub Shell | ⇒ 17" High, ADA-Compliant, Contoured Seat |
| ⇒ High-Gloss, Triple-Coated Gelcoat Finish | ⇒ Interior Safety Grab Bar |
| ⇒ One-Piece, Stainless-Steel Support Frame | ⇒ Deck-Mounted, U-Shaped Grab Bar |
| ⇒ 6 Adjustable Leveling Legs | ⇒ Non-Slip, Textured Floor |
| ⇒ Low, 6.8" Door Threshold | ⇒ Integrated Door Drain |
| ⇒ Ergonomic, Curved Door Handle | ⇒ Front Access Maintenance Panels |
| ⇒ Water-Tight Door Seal | ⇒ Color-Matched Extension Kit to Fill to 60" |
| | ⇒ Flangeless Design |


2
8
4
8

TUB 2848 SPECIFICATIONS

SIDE VIEW



TOP VIEW



Tub Dimensions

28"W x 48"L x 40"H

Tub Weight

200 lbs

Crated Dimensions

29"W x 49"L x 50"H

Seat Dimensions

17"H x 22"W

Water Capacity Occupied

52 Gallons

Door Width

15"

Door / Drain Orientation

Left-Hand or Right Hand

Door Swing

Inward-Swinging

Colors Available

White  Biscuit 

HYDROMASSAGE SYSTEM ADD-ONS & UPGRADES

- | | |
|------------------------------|-------------------------------|
| ⇒ Leg Massage Only System | ⇒ Inline Heater |
| ⇒ Adjustable Bidet Jet | ⇒ Additional Hip or Knee Jets |
| ⇒ Ozone Sanitization System | ⇒ Aromatherapy System |
| ⇒ Water-Heating Syllent Pump | |
| ⇒ Friction Heater | |

W
A
L
K

I
N

T
U
B

The Mobility Bathworks Tub 3052 from our ELITE Series provides a luxury spa experience from the comfort of your own home.

Boasting a 40" high tub basin, the 3052 allows for deeper upper body water immersion while maintaining a compact footprint for almost any bathtub or shower space. Its overall size and 20.5" seat make the 3052 the perfect size for narrow, 60" bathrooms while being large enough to accommodate individuals between 120-250 lbs.




STANDARD FEATURES

- ⇒ Marine-Grade Fiberglass & Resin Composite Tub Shell
- ⇒ High-Gloss, Triple-Coated Gelcoat Finish
- ⇒ One-Piece, Stainless-Steel Support Frame
- ⇒ 6 Adjustable Leveling Legs
- ⇒ Low, 3.5" Door Threshold
- ⇒ Ergonomic, Curved Door Handle
- ⇒ Water-Tight Door Seal
- ⇒ 17" High, ADA-Compliant, Contoured Seat
- ⇒ Interior Safety Grab Bar
- ⇒ Deck-Mounted, U-Shaped Grab Bar
- ⇒ Non-Slip, Textured Floor
- ⇒ Integrated Door Drain
- ⇒ Front Access Maintenance Panels
- ⇒ Color-Matched Extension Kit to Fill to 60"
- ⇒ Flangeless Design


3
0
5
2

TUB 3052 SPECIFICATIONS

TOP VIEW



SIDE VIEW



Tub Dimensions 30"W x 52"L x 40"H

Tub Weight 205 lbs

Crated Dimensions 31"W x 53"L x 51"H



Seat Dimensions 17"H x 20.5"W

Water Capacity Occupied 53 Gallons

Door Width 17.6"

Door / Drain Orientation Left-Hand or Right Hand

Door Swing Inward-Swinging

Colors Available White  Biscuit 

HYDROMASSAGE SYSTEM ADD-ONS & UPGRADES

- ⇒ Leg Massage Only System
- ⇒ Adjustable Bidet Jet
- ⇒ Ozone Sanitization System
- ⇒ Water-Heating Syllent Pump
- ⇒ Friction Heater
- ⇒ Inline Heater
- ⇒ Additional Hip or Knee Jets
- ⇒ Aromatherapy System

W
A
L
K

I
N

T
U
B

The Mobility Bathworks Tub 3053 from our ELITE Series provides a luxury spa experience from the comfort of your own home.

Boasting a 38" high tub basin, the 3053 allows for deeper upper body water immersion while maintaining a compact footprint for almost any bathtub or shower space. Its overall size and 20.5" seat make the 3053 the perfect size for narrow, 60" bathrooms while being large enough to accommodate individuals between 120-250 lbs.




STANDARD FEATURES

- ⇒ Marine-Grade Fiberglass & Resin Composite Tub Shell
- ⇒ High-Gloss, Triple-Coated Gelcoat Finish
- ⇒ One-Piece, Stainless-Steel Support Frame
- ⇒ 6 Adjustable Leveling Legs
- ⇒ Low, 6.8" Door Threshold
- ⇒ Ergonomic, Curved Door Handle
- ⇒ Water-Tight Door Seal
- ⇒ 17" High, ADA-Compliant, Contoured Seat
- ⇒ Interior Safety Grab Bar
- ⇒ Deck-Mounted, U-Shaped Grab Bar
- ⇒ Non-Slip, Textured Floor
- ⇒ Integrated Door Drain
- ⇒ Front Access Maintenance Panels
- ⇒ Color-Matched Extension Kit to Fill to 60"
- ⇒ Flangeless Design

3
0
5
3

TUB 3053 SPECIFICATIONS

TOP VIEW



SIDE VIEW



Tub Dimensions 30"W x 53"L x 38"H

Tub Weight 240 lbs

Crated Dimensions 31"W x 54"L x 48"H



Seat Dimensions 17"H x 20.5"W

Water Capacity Occupied 55 Gallons

Door Width 18"

Door / Drain Orientation Left-Hand or Right Hand

Door Swing Inward-Swinging

Colors Available White  Biscuit 

HYDROMASSAGE SYSTEM ADD-ONS & UPGRADES

- ⇒ Leg Massage Only System
- ⇒ Adjustable Bidet Jet
- ⇒ Ozone Sanitization System
- ⇒ Water-Heating Syllent Pump
- ⇒ Friction Heater
- ⇒ Inline Heater
- ⇒ Additional Hip or Knee Jets
- ⇒ Aromatherapy System

W
A
L
K

I
N

T
U
B

The Mobility Bathworks Tub 2852 from our ELITE Series provides a luxury spa experience from the comfort of your own home.

Boasting a 41" high tub basin, the 2852 allows for deeper upper body water immersion while maintaining a compact footprint for almost any bathtub or shower space. Its overall size and 23.5" seat make the 2852 the perfect size for narrow, 60" bathrooms while being large enough to accommodate individuals between 120-250 lbs.




STANDARD FEATURES

- ⇒ Marine-Grade Fiberglass & Resin Composite Tub Shell
- ⇒ High-Gloss, Triple-Coated Gelcoat Finish
- ⇒ One-Piece, Stainless-Steel Support Frame
- ⇒ 6 Adjustable Leveling Legs
- ⇒ Low, 6.8" Door Threshold
- ⇒ Ergonomic, Curved Door Handle
- ⇒ Water-Tight Door Seal
- ⇒ 17" High, ADA-Compliant, Contoured Seat
- ⇒ Interior Safety Grab Bar
- ⇒ Deck-Mounted, U-Shaped Grab Bar
- ⇒ Non-Slip, Textured Floor
- ⇒ Integrated Door Drain
- ⇒ Front Access Maintenance Panels
- ⇒ Color-Matched Extension Kit to Fill to 60"
- ⇒ Flangeless Design


2
8
5
2

TUB 2852 SPECIFICATIONS

TOP VIEW



SIDE VIEW



Tub Dimensions 28"W x 52"L x 41"H

Tub Weight 230 lbs

Crated Dimensions 29"W x 53"L x 52"H

Seat Dimensions 17"H x 23.5"W

Water Capacity Occupied 55 Gallons

Door Width 18.25"

Door / Drain Orientation Left-Hand or Right Hand

Door Swing Inward-Swinging

Colors Available White  Biscuit 

HYDROMASSAGE SYSTEM ADD-ONS & UPGRADES

- ⇒ Leg Massage Only System
- ⇒ Adjustable Bidet Jet
- ⇒ Ozone Sanitization System
- ⇒ Water-Heating Syllent Pump
- ⇒ Friction Heater
- ⇒ Inline Heater
- ⇒ Additional Hip or Knee Jets
- ⇒ Aromatherapy System

W
A
L
K

I
N

T
U
B

The Mobility Bathworks Tub 3060 from our ELITE Series provides a luxury spa experience from the comfort of your own home.

Boasting a 38" high tub basin, the 3060 allows for deeper upper body water immersion while maintaining a compact footprint for almost any bathtub or shower space. Its overall size and 20" seat make the 3060 the perfect size for narrow, 60" bathrooms while being large enough to accommodate individuals between 120-250 lbs.




STANDARD FEATURES

- ⇒ Marine-Grade Fiberglass & Resin Composite Tub Shell
- ⇒ High-Gloss, Triple-Coated Gelcoat Finish
- ⇒ One-Piece, Stainless-Steel Support Frame
- ⇒ 6 Adjustable Leveling Legs
- ⇒ Low, 6.8" Door Threshold
- ⇒ Ergonomic, Curved Door Handle
- ⇒ Water-Tight Door Seal
- ⇒ 17" High, ADA-Compliant, Contoured Seat
- ⇒ Interior Safety Grab Bar
- ⇒ Deck-Mounted, U-Shaped Grab Bar
- ⇒ Non-Slip, Textured Floor
- ⇒ Integrated Door Drain
- ⇒ Front Access Maintenance Panels
- ⇒ Color-Matched Extension Kit to Fill to 60"
- ⇒ Flangeless Design


3
0
6
0

TUB 3060 SPECIFICATIONS

TOP VIEW



SIDE VIEW



Tub Dimensions 30"W x 60"L x 38"H

Tub Weight 205 lbs

Crated Dimensions 31"W x 61"L x 46"H



Seat Dimensions 17"H x 20"W

Water Capacity Occupied 64 Gallons

Door Width 18"

Door / Drain Orientation Left-Hand or Right Hand

Door Swing Inward-Swinging

Colors Available White  Biscuit 

HYDROMASSAGE SYSTEM ADD-ONS & UPGRADES

- ⇒ Leg Massage Only System
- ⇒ Adjustable Bidet Jet
- ⇒ Ozone Sanitization System
- ⇒ Water-Heating Syllent Pump
- ⇒ Friction Heater
- ⇒ Inline Heater
- ⇒ Additional Hip or Knee Jets
- ⇒ Aromatherapy System

W
A
L
K

I
N

T
U
B

The Mobility Bathworks Tub 3355 from our ELITE Series provides a luxury spa experience from the comfort of your own home.

Boasting a 41" high tub basin, the 3355 allows for deeper upper body water immersion while maintaining a compact footprint for almost any bathtub or shower space. Its overall size and 25.5" seat make the 3355 the perfect size for narrow, 60" bathrooms while being large enough to accommodate individuals between 120-250 lbs.




STANDARD FEATURES

- ⇒ Marine-Grade Fiberglass & Resin Composite Tub Shell
- ⇒ High-Gloss, Triple-Coated Gelcoat Finish
- ⇒ One-Piece, Stainless-Steel Support Frame
- ⇒ 6 Adjustable Leveling Legs
- ⇒ Low, 6.8" Door Threshold
- ⇒ Ergonomic, Curved Door Handle
- ⇒ Water-Tight Door Seal
- ⇒ 17" High, ADA-Compliant, Contoured Seat
- ⇒ Interior Safety Grab Bar
- ⇒ Deck-Mounted, U-Shaped Grab Bar
- ⇒ Non-Slip, Textured Floor
- ⇒ Integrated Door Drain
- ⇒ Front Access Maintenance Panels
- ⇒ Color-Matched Extension Kit to Fill to 60"
- ⇒ Flangeless Design


3
3
5
5

TUB 3355 SPECIFICATIONS

TOP VIEW



SIDE VIEW



Tub Dimensions 33"W x 55"L x 41"H

Tub Weight 232 lbs

Crated Dimensions 35"W x 57"L x 51"H



Seat Dimensions 17"H x 25.5"W

Water Capacity Occupied 67 Gallons

Door Width 23.5"

Door / Drain Orientation Left-Hand or Right Hand

Door Swing Inward-Swinging

Colors Available White  Biscuit 

HYDROMASSAGE SYSTEM ADD-ONS & UPGRADES

- ⇒ Leg Massage Only System
- ⇒ Adjustable Bidet Jet
- ⇒ Ozone Sanitization System
- ⇒ Water-Heating Syllent Pump
- ⇒ Friction Heater
- ⇒ Inline Heater
- ⇒ Additional Hip or Knee Jets
- ⇒ Aromatherapy System

W
A
L
K

I
N

T
U
B

The Mobility Bathworks Tub 3555 from our ELITE Series provides a luxury spa experience from the comfort of your own home.

Boasting a 41" high tub basin, the 3555 allows for deeper upper body water immersion while maintaining a compact footprint for almost any bathtub or shower space. Its overall size and 30.5" seat make the 3555 the perfect size for narrow, 60" bathrooms while being large enough to accommodate individuals between 120-250 lbs.




STANDARD FEATURES

- ⇒ Marine-Grade Fiberglass & Resin Composite Tub Shell
- ⇒ High-Gloss, Triple-Coated Gelcoat Finish
- ⇒ One-Piece, Stainless-Steel Support Frame
- ⇒ 6 Adjustable Leveling Legs
- ⇒ Low, 6.8" Door Threshold
- ⇒ Ergonomic, Curved Door Handle
- ⇒ Water-Tight Door Seal
- ⇒ 17" High, ADA-Compliant, Contoured Seat
- ⇒ Interior Safety Grab Bar
- ⇒ Deck-Mounted, U-Shaped Grab Bar
- ⇒ Non-Slip, Textured Floor
- ⇒ Integrated Door Drain
- ⇒ Front Access Maintenance Panels
- ⇒ Color-Matched Extension Kit to Fill to 60"
- ⇒ Flangeless Design


3
5
5
5

TUB 3555 SPECIFICATIONS

TOP VIEW



SIDE VIEW



Tub Dimensions 35"W x 55"L x 41"H

Tub Weight 242 lbs

Crated Dimensions 31"W x 57"L x 51"H



Seat Dimensions 17"H x 30.5"W

Water Capacity Occupied 72 Gallons

Door Width 23.5"

Door / Drain Orientation Left-Hand or Right Hand

Door Swing Inward-Swinging

Colors Available White  Biscuit 

HYDROMASSAGE SYSTEM ADD-ONS & UPGRADES

- ⇒ Leg Massage Only System
- ⇒ Adjustable Bidet Jet
- ⇒ Ozone Sanitization System
- ⇒ Water-Heating Syllent Pump
- ⇒ Friction Heater
- ⇒ Inline Heater
- ⇒ Additional Hip or Knee Jets
- ⇒ Aromatherapy System

W
A
L
K

I
N

T
U
B

The Mobility Bathworks Tub HI BOY from our ELITE Series provides a luxury spa experience from the comfort of your own home.

Boasting a 46" high tub basin, the HI BOY allows for deeper upper body water immersion while maintaining a compact footprint for almost any bathtub or shower space. Its overall size and 24" seat make the HI BOY the perfect size for narrow, 60" bathrooms while being large enough to accommodate individuals between 120-250 lbs.



STANDARD FEATURES


- ⇒ Marine-Grade Fiberglass & Resin Composite Tub Shell
- ⇒ High-Gloss, Triple-Coated Gelcoat Finish
- ⇒ One-Piece, Stainless-Steel Support Frame
- ⇒ 6 Adjustable Leveling Legs
- ⇒ Low, 6.8" Door Threshold
- ⇒ Ergonomic, Curved Door Handle
- ⇒ Water-Tight Door Seal
- ⇒ 17" High, ADA-Compliant, Contoured Seat
- ⇒ Interior Safety Grab Bar
- ⇒ Deck-Mounted, U-Shaped Grab Bar
- ⇒ Non-Slip, Textured Floor
- ⇒ Integrated Door Drain
- ⇒ Front Access Maintenance Panels
- ⇒ Color-Matched Extension Kit to Fill to 60"
- ⇒ Flangeless Design

H
I


B
O
Y

TUB HI BOY SPECIFICATIONS

SIDE VIEW



TOP VIEW



Tub Dimensions 30"W x 55"L x 46"H

Tub Weight 242 lbs

Crated Dimensions 31"W x 56"L x 56"H



Seat Dimensions 17"H x 24"W

Water Capacity Occupied 95 Gallons

Door Width 18"

Door / Drain Orientation Left-Hand or Right Hand

Door Swing Inward-Swinging

Colors Available White  Biscuit 

HYDROMASSAGE SYSTEM ADD-ONS & UPGRADES

- ⇒ Leg Massage Only System
- ⇒ Adjustable Bidet Jet
- ⇒ Ozone Sanitization System
- ⇒ Water-Heating Syllent Pump
- ⇒ Friction Heater
- ⇒ Inline Heater
- ⇒ Additional Hip or Knee Jets
- ⇒ Aromatherapy System

W
A
L
K

I
N

T
U
B

The Mobility Bathworks Tub 3338 from our ELITE Series provides a luxury spa experience from the comfort of your own home.

Boasting a 40" high tub basin, the 3338 allows for deeper upper body water immersion while maintaining a compact footprint for almost any bathtub or shower space. Its overall size and 21" seat make the 3338 the perfect size for narrow, 60" bathrooms while being large enough to accommodate individuals between 120-250 lbs.




STANDARD FEATURES

- | | |
|---|--|
| ⇒ Marine-Grade Fiberglass & Resin Composite Tub Shell | ⇒ 17" High, ADA-Compliant, Contoured Seat |
| ⇒ High-Gloss, Triple-Coated Gelcoat Finish | ⇒ Interior Safety Grab Bar |
| ⇒ One-Piece, Stainless-Steel Support Frame | ⇒ Deck-Mounted, U-Shaped Grab Bar |
| ⇒ 6 Adjustable Leveling Legs | ⇒ Non-Slip, Textured Floor |
| ⇒ Low, 6.8" Door Threshold | ⇒ Integrated Door Drain |
| ⇒ Ergonomic, Curved Door Handle | ⇒ Front Access Maintenance Panels |
| ⇒ Water-Tight Door Seal | ⇒ Color-Matched Extension Kit to Fill to 60" |
| | ⇒ Flangeless Design |


3
3
3
8



TUB 3338 SPECIFICATIONS

TOP VIEW



SIDE VIEW



Tub Dimensions	33"W x 38"L x 40"H
Tub Weight	240 lbs
Crated Dimensions	34"W x 39"L x 48"H
Seat Dimensions	17"H x 21"W
Water Capacity Occupied	42 Gallons
Door Width	24"
Door / Drain Orientation	Left-Hand or Right Hand
Door Swing	Outward-Swinging
Colors Available	White  Biscuit 

HYDROMASSAGE SYSTEM ADD-ONS & UPGRADES

- | | |
|------------------------------|-------------------------------|
| ⇒ Leg Massage Only System | ⇒ Inline Heater |
| ⇒ Adjustable Bidet Jet | ⇒ Additional Hip or Knee Jets |
| ⇒ Ozone Sanitization System | ⇒ Aromatherapy System |
| ⇒ Water-Heating Syllent Pump | |
| ⇒ Friction Heater | |

E
L
I
T
E

S
E
R
I
E
S

The Mobility Bathworks Transfer Tub 2852 from our ELITE Series provides a luxury spa experience from the comfort of your own home.

Boasting a 41" high tub basin, the Transfer 2852 allows for deeper upper body water immersion while maintaining a compact footprint for almost any bathtub or shower space. Its overall size and 21.5" seat make the Transfer 2852 the perfect size for narrow, 60" bathrooms while being large enough to accommodate individuals between 120-250 lbs.




STANDARD FEATURES

- | | |
|---|--|
| ⇒ Marine-Grade Fiberglass & Resin Composite Tub Shell | ⇒ 16.25" High, ADA-Compliant, Contoured Seat |
| ⇒ High-Gloss, Triple-Coated Gelcoat Finish | ⇒ Interior Safety Grab Bar |
| ⇒ One-Piece, Stainless-Steel Support Frame | ⇒ Deck-Mounted, U-Shaped Grab Bar |
| ⇒ 6 Adjustable Leveling Legs | ⇒ Non-Slip, Textured Floor |
| ⇒ Low, 6.8" Door Threshold | ⇒ Integrated Door Drain |
| ⇒ Ergonomic, Curved Door Handle | ⇒ Front Access Maintenance Panels |
| ⇒ Water-Tight Door Seal | ⇒ Color-Matched Extension Kit to Fill to 60" |
| | ⇒ Flangeless Design |


2
8
5
2

TUB 2852 TRANSFER SPECIFICATIONS

TOP VIEW



SIDE VIEW



Tub Dimensions 28"W x 52"L x 41"H

Tub Weight 270 lbs

Crated Dimensions 29"W x 53"L x 50"H



Seat Dimensions 16.25"H x 21.5"W

Water Capacity Occupied 55 Gallons

Door Width 30"

Door / Drain Orientation Left-Hand or Right Hand

Door Swing Outward-Swinging

Colors Available White  Biscuit 

HYDROMASSAGE SYSTEM ADD-ONS & UPGRADES

- | | |
|------------------------------|-------------------------------|
| ⇒ Leg Massage Only System | ⇒ Inline Heater |
| ⇒ Adjustable Bidet Jet | ⇒ Additional Hip or Knee Jets |
| ⇒ Ozone Sanitization System | ⇒ Aromatherapy System |
| ⇒ Water-Heating Syllent Pump | |
| ⇒ Friction Heater | |

T
R
A
N
S
F
E
R

T
U
B

The Mobility Bathworks Transfer Tub 3052 from our ELITE Series provides a luxury spa experience from the comfort of your own home.

Boasting a 41" high tub basin, the Transfer 3052 allows for deeper upper body water immersion while maintaining a compact footprint for almost any bathtub or shower space. Its overall size and 22" seat make the Transfer 3052 the perfect size for narrow, 60" bathrooms while being large enough to accommodate individuals between 120-250 lbs.




STANDARD FEATURES

- | | |
|---|--|
| ⇒ Marine-Grade Fiberglass & Resin Composite Tub Shell | ⇒ 16.25" High, ADA-Compliant, Contoured Seat |
| ⇒ High-Gloss, Triple-Coated Gelcoat Finish | ⇒ Interior Safety Grab Bar |
| ⇒ One-Piece, Stainless-Steel Support Frame | ⇒ Deck-Mounted, U-Shaped Grab Bar |
| ⇒ 6 Adjustable Leveling Legs | ⇒ Non-Slip, Textured Floor |
| ⇒ Low, 6.8" Door Threshold | ⇒ Integrated Door Drain |
| ⇒ Ergonomic, Curved Door Handle | ⇒ Front Access Maintenance Panels |
| ⇒ Water-Tight Door Seal | ⇒ Color-Matched Extension Kit to Fill to 60" |
| | ⇒ Flangeless Design |


 3
0
5
2

TUB 3052 TRANSFER SPECIFICATIONS

TOP VIEW



SIDE VIEW



Tub Dimensions

30"W x 52"L x 41"H

Tub Weight

270 lbs

Crated Dimensions

31"W x 53"L x 50"H

Seat Dimensions

16.25"H x 22"W

Water Capacity Occupied

58 Gallons

Door Width

30"

Door / Drain Orientation

Left-Hand or Right Hand

Door Swing

Outward-Swinging

Colors Available

 White  Biscuit 

HYDROMASSAGE SYSTEM ADD-ONS & UPGRADES

- | | |
|------------------------------|-------------------------------|
| ⇒ Leg Massage Only System | ⇒ Inline Heater |
| ⇒ Adjustable Bidet Jet | ⇒ Additional Hip or Knee Jets |
| ⇒ Ozone Sanitization System | ⇒ Aromatherapy System |
| ⇒ Water-Heating Syllent Pump | |
| ⇒ Friction Heater | |

The Mobility Bathworks Transfer Tub 3252 from our ELITE Series provides a luxury spa experience from the comfort of your own home.

Boasting a 41" high tub basin, the Transfer 3252 allows for deeper upper body water immersion while maintaining a compact footprint for almost any bathtub or shower space. Its overall size and 22.5" seat make the Transfer 3252 the perfect size for narrow, 60" bathrooms while being large enough to accommodate individuals between 120-250 lbs.




STANDARD FEATURES

- ⇒ Marine-Grade Fiberglass & Resin Composite Tub Shell
- ⇒ High-Gloss, Triple-Coated Gelcoat Finish
- ⇒ One-Piece, Stainless-Steel Support Frame
- ⇒ 6 Adjustable Leveling Legs
- ⇒ Low, 6.8" Door Threshold
- ⇒ Ergonomic, Curved Door Handle
- ⇒ Water-Tight Door Seal
- ⇒ 16.25" High, ADA-Compliant, Contoured Seat
- ⇒ Interior Safety Grab Bar
- ⇒ Deck-Mounted, U-Shaped Grab Bar
- ⇒ Non-Slip, Textured Floor
- ⇒ Integrated Door Drain
- ⇒ Front Access Maintenance Panels
- ⇒ Color-Matched Extension Kit to Fill to 60"
- ⇒ Flangeless Design


3
2
5
2

TUB 3252 TRANSFER SPECIFICATIONS

TOP VIEW



SIDE VIEW



Tub Dimensions 32"W x 52"L x 41"H

Tub Weight 280 lbs

Crated Dimensions 33"W x 53"L x 51"H



Seat Dimensions 16.25"H x 22.5"W

Water Capacity Occupied 60 Gallons

Door Width 30"

Door / Drain Orientation Left-Hand or Right Hand

Door Swing Outward-Swinging

Colors Available White  Biscuit 

HYDROMASSAGE SYSTEM ADD-ONS & UPGRADES

- ⇒ Leg Massage Only System
- ⇒ Adjustable Bidet Jet
- ⇒ Ozone Sanitization System
- ⇒ Water-Heating Syllent Pump
- ⇒ Friction Heater
- ⇒ Inline Heater
- ⇒ Additional Hip or Knee Jets
- ⇒ Aromatherapy System

The Mobility Bathworks Transfer Tub 3260 from our ELITE Series provides a luxury spa experience from the comfort of your own home.

Boasting a 33" high tub basin, the Transfer 3260 allows for deeper upper body water immersion while maintaining a compact footprint for almost any bathtub or shower space. Its overall size make the Transfer 3260 the perfect size for narrow, 60" bathrooms while being large enough to accommodate individuals between 120-250 lbs.




STANDARD FEATURES

- | | |
|---|--|
| ⇒ Marine-Grade Fiberglass & Resin Composite Tub Shell | ⇒ Interior Safety Grab Bar |
| ⇒ High-Gloss, Triple-Coated Gelcoat Finish | ⇒ Deck-Mounted, U-Shaped Grab Bar |
| ⇒ One-Piece, Stainless-Steel Support Frame | ⇒ Non-Slip, Textured Floor |
| ⇒ 6 Adjustable Leveling Legs | ⇒ Integrated Door Drain |
| ⇒ 17" Door Threshold | ⇒ Front Access Maintenance Panels |
| ⇒ Ergonomic, Curved Door Handle | ⇒ Color-Matched Extension Kit to Fill to 60" |
| ⇒ Water-Tight Door Seal | ⇒ Flangeless Design |


3
2
6
0

TUB 3260 TRANSFER SPECIFICATIONS

TOP VIEW



SIDE VIEW



Tub Dimensions 32"W x 60"L x 33"H

Tub Weight 270 lbs

Crated Dimensions 33"W x 61"L x 40"H



Water Capacity Occupied 50 Gallons

Inner Width 23"

Door Width 35.5"

Door / Drain Orientation Left-Hand or Right Hand

Door Swing Outward-Swinging

Colors Available White  Biscuit 

HYDROMASSAGE SYSTEM ADD-ONS & UPGRADES

- | | |
|------------------------------|-------------------------------|
| ⇒ Leg Massage Only System | ⇒ Inline Heater |
| ⇒ Adjustable Bidet Jet | ⇒ Additional Hip or Knee Jets |
| ⇒ Ozone Sanitization System | ⇒ Aromatherapy System |
| ⇒ Water-Heating Syllent Pump | |
| ⇒ Friction Heater | |

W
A
L
K

I
N

T
U
B

The Mobility Bathworks Tub LAY DOWN from our ELITE Series provides a luxury spa experience from the comfort of your own home.

Boasting a 23" high tub basin, the LAY DOWN allows for deeper upper body water immersion while maintaining a compact footprint for almost any bathtub or shower space. Its overall size make the LAY DOWN the perfect size for narrow, 60" bathrooms while being large enough to accommodate individuals between 120-250 lbs.



STANDARD FEATURES


- ⇒ Marine-Grade Fiberglass & Resin Composite Tub Shell
- ⇒ High-Gloss, Triple-Coated Gelcoat Finish
- ⇒ One-Piece, Stainless-Steel Support Frame
- ⇒ 6 Adjustable Leveling Legs
- ⇒ Low, 6.83" Door Threshold
- ⇒ Ergonomic, Curved Door Handle
- ⇒ Water-Tight Door Seal
- ⇒ Interior Safety Grab Bar
- ⇒ Deck-Mounted, U-Shaped Grab Bar
- ⇒ Non-Slip, Textured Floor
- ⇒ Integrated Door Drain
- ⇒ Front Access Maintenance Panels
- ⇒ Color-Matched Extension Kit to Fill to 60"
- ⇒ Flangeless Design

L
A
Y


D
O
W
N

TUB LAY DOWN SPECIFICATIONS

SIDE VIEW



TOP VIEW



Tub Dimensions 30"W x 60"L x 23"H

Tub Weight 190 lbs

Crated Dimensions 31"W x 61"L x 30"H



Water Capacity Occupied 30 Gallons

Inner Width 24.75"

Door Width 20.25"

Door / Drain Orientation Left-Hand or Right Hand

Door Swing Inward-Swinging


Colors Available White  Biscuit 

HYDROMASSAGE SYSTEM ADD-ONS & UPGRADES

- ⇒ Leg Massage Only System
- ⇒ Adjustable Bidet Jet
- ⇒ Ozone Sanitization System
- ⇒ Water-Heating Syllent Pump
- ⇒ Friction Heater
- ⇒ Inline Heater
- ⇒ Additional Hip or Knee Jets
- ⇒ Aromatherapy System

The Mobility Bathworks Acrylic Tub 2852 from our ELITE Series provides a luxury spa experience from the comfort of your own home.

Boasting a 38" high tub basin, the Acrylic 2852 allows for deeper upper body water immersion while maintaining a compact footprint for almost any bathtub or shower space. Its overall size and 19.75" seat make the Acrylic 2852 the perfect size for narrow, 60" bathrooms while being large enough to accommodate individuals between 120-250 lbs.




STANDARD FEATURES


- | | |
|---|--|
| ⇒ Marine-Grade Fiberglass & Resin Composite Tub Shell | ⇒ 15" High, ADA-Compliant, Contoured Seat |
| ⇒ High-Gloss, Triple-Coated Gelcoat Finish | ⇒ Interior Safety Grab Bar |
| ⇒ One-Piece, Stainless-Steel Support Frame | ⇒ Deck-Mounted, U-Shaped Grab Bar |
| ⇒ 6 Adjustable Leveling Legs | ⇒ Non-Slip, Textured Floor |
| ⇒ Low, 6" Door Threshold | ⇒ Integrated Door Drain |
| ⇒ Ergonomic, Curved Door Handle | ⇒ Front Access Maintenance Panels |
| ⇒ Water-Tight Door Seal | ⇒ Color-Matched Extension Kit to Fill to 60" |
| | ⇒ Flangeless Design |

2
8
5
2

ACRYLIC TUB 2852 SPECIFICATIONS

SIDE VIEW



Tub Dimensions	28"W x 52"L x 38"H
Tub Weight	230 lbs
Crated Dimensions	30"W x 53"L x 48"H
Seat Dimensions	15"H x 19.25"W
Water Capacity Occupied	33 Gallons
Door Width	16.25"
Door / Drain Orientation	Left-Hand or Right Hand
Door Swing	Inward-Swinging
Color Available	White 

HYDROMASSAGE SYSTEM ADD-ONS & UPGRADES

- | | |
|------------------------------|-------------------------------|
| ⇒ Leg Massage Only System | ⇒ Friction Heater |
| ⇒ Adjustable Bidet Jet | ⇒ Inline Heater |
| ⇒ Ozone Sanitization System | ⇒ Additional Hip or Knee Jets |
| ⇒ Water-Heating Syllent Pump | ⇒ Aromatherapy System |

The Mobility Bathworks Acrylic Tub 3052 from our ELITE Series provides a luxury spa experience from the comfort of your own home.

Boasting a 38" high tub basin, the Acrylic 3052 allows for deeper upper body water immersion while maintaining a compact footprint for almost any bathtub or shower space. Its overall size and 21.75" seat make the Acrylic 3052 the perfect size for narrow, 60" bathrooms while being large enough to accommodate individuals between 120-250 lbs.




STANDARD FEATURES


- ⇒ Marine-Grade Fiberglass & Resin Composite Tub Shell
- ⇒ High-Gloss, Triple-Coated Gelcoat Finish
- ⇒ One-Piece, Stainless-Steel Support Frame
- ⇒ 6 Adjustable Leveling Legs
- ⇒ Low, 6" Door Threshold
- ⇒ Ergonomic, Curved Door Handle
- ⇒ Water-Tight Door Seal
- ⇒ 15" High, ADA-Compliant, Contoured Seat
- ⇒ Interior Safety Grab Bar
- ⇒ Deck-Mounted, U-Shaped Grab Bar
- ⇒ Non-Slip, Textured Floor
- ⇒ Integrated Door Drain
- ⇒ Front Access Maintenance Panels
- ⇒ Color-Matched Extension Kit to Fill to 60"
- ⇒ Flangeless Design

3
0
5
2

ACRYLIC TUB 3052 SPECIFICATIONS

SIDE VIEW



Tub Dimensions	31"W x 52"L x 38"H
Tub Weight	240 lbs
Crated Dimensions	31"W x 53"L x 48"H
Seat Dimensions	15"H x 21.75"W
Water Capacity Occupied	45 Gallons
Door Width	16.25"
Door / Drain Orientation	Left-Hand or Right Hand
Door Swing	Inward-Swinging
Color Available	White 

HYDROMASSAGE SYSTEM ADD-ONS & UPGRADES

- ⇒ Leg Massage Only System
- ⇒ Adjustable Bidet Jet
- ⇒ Ozone Sanitization System
- ⇒ Water-Heating Syllent Pump
- ⇒ Friction Heater
- ⇒ Inline Heater
- ⇒ Additional Hip or Knee Jets
- ⇒ Aromatherapy System

The Mobility Bathworks Acrylic Companion Tub 3060 from our ELITE Series provides a luxury spa experience from the comfort of your own home.

Boasting a 38" high tub basin, the Acrylic 3060 Companion allows for deeper upper body water immersion while maintaining a compact footprint for almost any bathtub or shower space. Its overall size and 23" seat make the Acrylic 3060 Companion the perfect size for narrow, 60" bathrooms while being large enough to accommodate individuals between 120-250 lbs.




STANDARD FEATURES


- | | |
|---|--|
| ⇒ Marine-Grade Fiberglass & Resin Composite Tub Shell | ⇒ 16" High, ADA-Compliant, Contoured Seat |
| ⇒ High-Gloss, Triple-Coated Gelcoat Finish | ⇒ Interior Safety Grab Bar |
| ⇒ One-Piece, Stainless-Steel Support Frame | ⇒ Deck-Mounted, U-Shaped Grab Bar |
| ⇒ 6 Adjustable Leveling Legs | ⇒ Non-Slip, Textured Floor |
| ⇒ Low, 6" Door Threshold | ⇒ Integrated Door Drain |
| ⇒ Ergonomic, Curved Door Handle | ⇒ Front Access Maintenance Panels |
| ⇒ Water-Tight Door Seal | ⇒ Color-Matched Extension Kit to Fill to 60" |
| | ⇒ Flangeless Design |

3
0
6
0

ACRYLIC 3060 COMPANION TUB SPECIFICATIONS

SIDE VIEW



Tub Dimensions	30"W x 60"L x 38"H
Tub Weight	280 lbs
Crated Dimensions	35"W x 65"L x 45"H
Seat Dimensions	16"H x 23"W
Water Capacity Occupied	43 Gallons
Door Width	16.25"
Door / Drain Orientation	Left-Hand or Right Hand
Door Swing	Inward-Swinging
Colors Available	White 

HYDROMASSAGE SYSTEM ADD-ONS & UPGRADES

- | | |
|------------------------------|-------------------------------|
| ⇒ Leg Massage Only System | ⇒ Friction Heater |
| ⇒ Adjustable Bidet Jet | ⇒ Inline Heater |
| ⇒ Ozone Sanitization System | ⇒ Additional Hip or Knee Jets |
| ⇒ Water-Heating Syllent Pump | ⇒ Aromatherapy System |